

**To:** OBrien, Wendy[OBrien.Wendy@epa.gov]  
**From:** Christner, Jan  
**Sent:** Wed 8/12/2015 6:36:59 PM  
**Subject:** RE: Total Metals Screening Values

Sure. Just working on the dissolved and will make the corrections when that is done. And add it to the total table.

Did you want the sediment background table also?

**From:** OBrien, Wendy [mailto:OBrien.Wendy@epa.gov]  
**Sent:** Wednesday, August 12, 2015 12:36 PM  
**To:** Christner, Jan  
**Subject:** RE: Total Metals Screening Values

Thank you! This looks great. Can you add three columns showing mean, min and max for the combination of columns B thru J? We'd like to have a mean, min and max for all the sampling locations in the area just north and south of Durango (James Ranch, Purple Cliffs, Lightner Creek, 32 St Bridge, Bakers Bridge).

Call if questions Personal Phone/Ex. 6

Wendy O'Brien, DVM, PhD, DABT

Toxicologist, Ecosystems Protection and Remediation

USEPA Region 8

1595 Wynkoop Street

Denver, CO 80202

Phone: 303.312.6712

FAX: 303.312.7151

**From:** Christner, Jan [<mailto:Jan.Christner@WestonSolutions.com>]  
**Sent:** Wednesday, August 12, 2015 12:23 PM  
**To:** OBrien, Wendy  
**Subject:** Total Metals Screening Values

See attached for the total metals screening values. Let me know if you want changes so I can send the Dissolved values right the first time.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.